

Consumer Applications – The Evolution of SSD Form Factor in Consumer Applications

Thomas Hsiao Sr Field Applications Engineering Manager Phison Electronics 2015.08.11




- Storage Trend 2014 ~2017
- Client Market Segmentation
- NAND Trend
- Form Factor Trend
- Take Away





Storage Trends

Worldwide Device Shipments to Grow 1.5% Percent, to Reach 2.5
 Billion Units in 2015





PHISON WHAT YOU NOOM
Phison Electronics Corp.



- Storage Trend 2014 ~2017
- Client Market Segmentation
- NAND Trend
- Form Factor Trend
- Take Away



SSD Market Segmentation



Flash Memory














Storage Form Factor







Mainstream in 2015




M.2 2242

M.2 2260

M.2 2280

M.2 22110








- Storage Trend 2014 ~2017
- Client Market Segmentation
- NAND Trend
- Form Factor Trend
- Take Away





NAND Mono Density Is Increasing



Process Node





- Storage Trend 2014 ~2017
- Client Market Segmentation
- NAND Trend
- Form Factor Trend
- Take Away






Client Market Trend

Portability/ Responsiveness/ Reliability/ Cost Orientated





An Example



It was from DRAM, now is SSD......





Key Takeaways

- M.2 is the current generation cost effective SSDs storage
- M.2 Enables expanded capacity options
- Once 256Gb mono mature and become mainstream, BGA SSD will replace module. SSD will be embedded!

BGA Form Factor will be the Future





Phison SSD Advancement

Market Leadership

- ✓ <u>In-house</u> SATA III, PCIe Gen 3 IP Process node moving into 40nm & 28nm
- ✓ **StrongECC** for the next generation 3D MLC/TLC; more advantageous compared to LDPC

Aggressive SSD Development Plan

- 4 SATA controllers currently in productions
- ✓ <u>6 NEW SSD controllers</u> to be expected from 2015 2016 1H
- ✓ Broad Portfolio:
 - SATA III: 8Ch, 4Ch, 2Ch
 - PCIe: Gen3x4, Gen3x2, Gen3x1



EL Enterprise

Industrial

High-end Client

Entry-Level Client





Phison Product Line Up

PCIe Gen3 Ultra Speed Solution

- x2(2GB/s)
- x4 (4GB/s)



SATA 6Gb/s Mainstream Storage

- 8CH
- 4CH
- 2CH



eMMC Mobile Device

- 4.41
- •4.5
- •5.0
- UFS





Rich Diversity Of SSD Solution

	AIC	2.5"	Half Slim	mSATA	M.2 22110	M.2 2280	M.2 2260	BGA uSSD
SATA 6Gb/s		✓	✓	✓	✓	✓	✓	✓
PCle	✓	✓			✓	✓		✓





Thank You

Welcome to Visit Our Booth on 716

